


MONOGRAM

STAR TREK VOYAGER

KIT 3604



3604M0201

The excitement and adventure begin when the Starship U.S.S. *Voyager* is dispatched in search of a Maquis ship which has disappeared in an unusual region of space known as "The Badlands." *Voyager* finds the Maquis ship, but not before being swept up in a strange and terrifying phenomenon which sends her into the far reaches of the galaxy - so far away that, even at warp speeds, it would take nearly seventy-five years to return. Two diverse crews must band together to explore this distant part of space and to find a way home.

An *Intrepid* class vessel supporting 150 crew members, the U.S.S. *Voyager* is one of the fastest and most powerful starships in Starfleet. *Voyager* is 1,130 feet long and weighs some 750,000 tons. The basic hull structure is fabricated from tritanium/duranium alloys. *Voyager* was built at Starfleet's Earth Station McKinley, and was launched on Stardate 48038.5 (the year 2371). As with all Starfleet ships, the main bridge is the nerve center of the U.S.S. *Voyager*. The command area in

the center of the bridge features seating and information displays for the captain and first officer. Major stations on the bridge include flight controller, operations officer, security/tactical, engineering, mission operations, and science.

Voyager's engineering assets include uprated warp and impulse propulsion systems. Its warp engine pylons possess the unique ability to bend, efficiently shaping the warp field for whatever speed is required. The ship's compact powerplants run a variety of high-energy devices, including the navigational defectors, shields, transporters, sensors, and the holodeck. For those occasions when military confrontation is unavoidable, *Voyager* is armed with an impressive array of defensive weapons.

The original mission of *Voyager* was exploration and research, and it was superbly equipped for both. Despite difficult times ahead, that mission has not changed, as Captain Janeway and her crew continue their long journey back.

™, ® & © 1995 Paramount Pictures. All Rights Reserved.

**If you have any problems building this model, call our modeling tips hotline at:
(800) 833-3570**

Made in U.S.A.

ASSEMBLY INSTRUCTIONS

READ THIS BEFORE YOU BEGIN

- Study the assembly drawings.
- Each plastic part is identified by a number.
- Scrape plating from areas to be cemented.
- Check the fit of each piece before cementing into place.
- Do not use too much cement to join parts.
- Use only cement for polystyrene plastic.
- Models may be painted to match photos on box.
- Allow paint to dry thoroughly before handling parts.
- Scrape paint from areas to be cemented.
- For better paint and decal adhesion, wash the plastic parts in a mild detergent solution. Rinse and let air dry.

LISEZ CE QUI SUIT AVANT DE COMMENCER LE MONTAGE

- Etudier les schémas d'assemblage.
- Chaque pièce plastique porte un numéro d'identification.
- Grattez le chromage sur les surfaces à coller.
- Contrôler que chaque pièce soit bien cintrée avant de la coller à sa place.
- N'utilisez pas trop de colle pour réunir les pièces.
- Utilisez uniquement une colle spéciale pour polystyrène.
- Le modèle peut être peint conformément aux photos surboite.
- Laissez sécher la peinture complètement avant de manipuler les pièces.
- Grattez la peinture sur les surfaces devant être collées.
- Pour assurer la meilleure adhésion possible de la peinture des décalomnies, laver les pièces de plastique avec une légère solution savonneuse. Rince et laissez sécher à l'air.

ALLGEMEINE HINWEISE

- Die Anordnung der Bauteile ist den Zeichnungen der Anleitung ersichtlich.
- Jedes Plastikteil ist durch eine Nummer gekennzeichnet.
- Die Beschichtung muss von allen Klebestellen vorher entfernt werden.
- Die Teile vor dem Verkleben ungeleimt zusammenhalten um ihre Passitz zu prüfen.
- Klebstoff nicht zu dick auftragen.
- Nur Modellbaukleber für Polystyrol verwenden.
- Man kann das Modell nach den Fotos auf der Schachtel anstreichen.
- Bemalte Teile vor der Weiterverwendung gut trocknen lassen.
- Die Farbe muss von allen späteren Klebestellen abgeschabt werden.
- Damit die Farbe und die Abziehbilder kleben sind die Plastikteile in einer milden Seifenlauge zu waschen. Dann abspülen und an der Luft trocknen lassen.

LEA ESTO ANTES DE EMPEZAR

- Estudie los dibujos de ensamblaje.
- Cada pieza de plástico se identificará por un número.
- Raspe el laminado de las superficies que serán pegadas.
- Verifique que cada pieza encaje bien antes de posición.
- No use demasiado pegamento para unir las piezas.
- Use únicamente pegamento para plástico de poliestireno.
- El modelo puede pintarse de acuerdo con las fotografías de la caja.
- Permita que se seque la pintura completamente antes de tocar las piezas.
- Raspe la pintura de las superficies que serán pegadas.
- Para una mejor fijación de la pintura y de las calcomanías lávese las piezas plásticas en una solución de detergente suave. Enjuague y déjese secar al aire.

Monogram Model Kits has put forth every effort to create and manufacture the finest model kit available. If a part may be missing, please write to:

Monogram Model Kits
Consumer Service Department
301 North Third Avenue
Des Plaines, Illinois 60016

Be sure to include the kit number, part number, description, and your return address.

DECAL APPLICATION INSTRUCTIONS

1. Wash plastic parts in mild detergent solution. Rinse and let dry.
2. Cut desired decal from sheet.
3. Dip decal in water for a few seconds.
4. Place wet decal on paper towel.
5. Wait until decal is movable on paper backing.
6. Place decal in position on model, face up and slide backing away.
7. Press out air bubbles with a soft damp cloth.
8. Milkyness that may appear is for better decal adhesive and will dry clear. Wipe away any excess adhesive.
9. Do not touch decal until fully dry.



REPEAT SEVERAL TIMES
A REPETER PLUSIEURS FOIS
REPITA VARIAS VECES



REMOVE AND THROW AWAY
A RETIRER ET JETER
QUITE Y TIRE




DECAL (DIP IN WATER)
DECALCOMANIE (A PLONGER DANS L'EAU)
DECALCOMANIA (MOJÉ CON AGUA)


FLAT WHITE	BLANC	WEISS	BLANCO
RED	ROUGE	ROT	ROJO
MUSTARD YELLOW	JAUNE	GELB	AMARILLO
LIGHT BROWN	MARRON CLAIR	HELLBRAUN	MARRON CLARO
BURNT ORANGE	BRUN	BRAUN	MARRON
DESERT TAN	BRUN CLAIR	GELBRAUN	CANELA
INTERMEDIATE BLUE	BLEU	BLAU	AZUL
CLEAR RED	ROUGE	ROT	ROJO
INTERMEDIATE GRAY	GRIS	GRAU	GRIS
ROBIN'S EGG BLUE	BLEU	BLAU	AZUL
SILVER	ARGENT	SILBERN	PLATA
GOLD	DORE	GOLD	DORADO

1 SAUCER ASSEMBLY

NOTE: ALL CLEAR, AND NON-CLEAR PARTS
MOUNT TO SAUCER HALVES FROM INSIDE
WITH THE EXCEPTION OF PARTS 30, 32, 31, 33




2 HULL ASSEMBLY





HULL/SAUCER ASSEMBLY

* REPEAT ON OTHER SIDE




3 WING ASSEMBLY


REPEAT FOR
OTHER SIDE
USING PARTS
27, 28, 49



4 ENGINE POD ASSEMBLY




5 FINAL ASSEMBLY







DECAL PLACEMENT



NOTE: PAINT ALL INDENTED WINDOWS FLAT WHITE.



**USS VOYAGER
NCC-74656
INTREPID CLASS
SPECIFICATIONS**

